

Appl. No. : 09/694,667
Filed : October 23, 2000

Sub C1
a portion of said first attachment housing, said fourth attachment housing extending rearward to about a portion of said second attachment housing, a first securing member supported by said first attachment housing and a second securing member supported by said second attachment housing, said first securing member and said second securing member engaging with at least a portion of said third attachment housing and at least a portion of said fourth attachment housing such that said auxiliary frame is secured in position relative to said primary frame.

30. The eyewear of Claim 29, wherein said first securing member is snap.

31. The eyewear of Claim 29, wherein said first securing member is slide.

32. The eyewear of Claim 29, wherein said first securing member is magnet.

33. The eyewear of Claim 32, wherein said third and fourth attachment housings

Sub D2
comprise a ferromagnetic material.

B2
34. The eyewear of Claim 32, wherein said third and fourth attachment housing comprise magnets.

35. The eyewear of Claim 32, wherein said magnet comprises a generally horizontal axis and said magnet is exposed on a front surface of said first attachment housing.

36. The eyewear of Claim 32, wherein said magnet comprises a generally horizontal axis and said magnet is exposed on a rear surface of said first attachment housing.

37. The eyewear of Claim 32, wherein said magnet comprises a generally vertical axis and said magnet is exposed on a top surface of said first attachment housing.

38. The eyewear of Claim 32, wherein said magnet comprises a generally vertical axis and said magnet is exposed on a bottom surface of said first attachment housing.

Sub C2
39. The eyewear of Claim 29, wherein said first attachment housing comprises at least a portion of a closing block.

Sub D2
40. The eyewear of Claim 39, wherein said first attachment housing comprises a recess that receives a flange of said closing block.

41. The eyewear of Claim 39, wherein said first attachment housing is split to form said closing block.

42. The eyewear of Claim 41, wherein said first securing member is a magnet and said magnet extends through both portions of said split attachment housing.

Appl. No. : 09/694,667
Filed : October 23, 2000

43. The eyewear of Claim 39 further comprising a bridge that spans said first attachment housing and said second attachment housing.

Sub D2
44. The eyewear of Claim 43, wherein said first attachment housing comprises an endpiece.

45. The eyewear of Claim 39, wherein said first attachment housing comprises an endpiece.

46. The eyewear of Claim 45, wherein said first attachment housing comprises at least a portion of a hinge.

Sub C3
47. The eyewear of Claim 29, wherein said first attachment housing comprises an endpiece.

Sub D2
B2
48. The eyewear of Claim 44, wherein said first attachment housing comprises at least a portion of a hinge.

Sub C4
49. The eyewear of Claim 29, wherein said first attachment housing comprises a hinge.

Sub D2
50. The eyewear of Claim 29, wherein said third attachment housing abuts a rear surface of said first attachment housing when said auxiliary frame is mounted to said primary frame.

51. The eyewear of Claim 29, wherein said first attachment housing is removably attached to an endpiece.

52. The eyewear of Claim 29, wherein said first attachment housing is removably attached to said primary frame.

53. The eyewear of Claim 29, wherein a closing block is formed separate from said first attachment housing.

54. The eyewear of Claim 29, wherein said primary frame has at least one recess that receives said first attachment housing.

55. The eyewear of Claim 54, wherein said primary frame comprises an acetate component.

56. The eyewear of Claim 54, wherein said first attachment housing comprises a blind hole that receives a threaded fastener to secure said first attachment housing to said primary frame.

Appl. No. : 09/694,667
Filed : October 23, 2000

57. The eyewear of Claim 56, wherein said blind hole is formed with a protrusion extending from said first attachment housing.

58. The eyewear of Claim 57, wherein said protrusion is cylindrical.

Sub C5
B2
59. Eyewear comprising a first lens, a second lens, a bridge connecting said first lens to said second lens, a first uniblock connected to said first lens and a second uniblock connected to said second lens, a first magnetic member disposed within a portion of said first uniblock and a second magnetic member disposed within a portion of said second uniblock, a first rim wire extending at least part way around a circumference of said first lens and having a first end and a second end, a second rim wire extending at least part way around a circumference of said second lens and having a third end and a fourth end, a first closing block connecting said first end and said second end and being at least partially integrally formed with said first uniblock and a second closing block connecting said third end and said fourth end and being at least partially integrally formed with said second uniblock.

60. The eyewear of Claim 59, wherein said first closing block comprises a portion of said first uniblock and a first flange and said second closing block comprises a portion of said first uniblock and a second flange.

Sub D3
61. The eyewear of Claim 60, wherein said first flange is received within a recess formed in said first uniblock and said second flange is received within a recess formed in said second uniblock.

62. The eyewear of Claim 61, wherein said recesses formed in said first and second uniblocks are formed on a lower surface of each of said first and second uniblocks.

63. The eyewear of Claim 59, wherein said first uniblock is formed in a first upper portion and a first lower portion and said second uniblock is formed in a second upper portion and a second lower portion, said first upper portion being connected to said first end, said first lower portion being connected to said second end, said second upper portion being connected to said third end, said second lower portion being connected to said fourth end.

64. The eyewear of Claim 63, wherein said first upper portion and said first lower portion are separated by a generally horizontally extending plane.

65. The eyewear of Claim 63, wherein said first upper portion and said first lower portion and said second upper portion and said second lower portion are separated by a generally horizontally extending plane.

66. The eyewear of Claim 59, wherein said first magnetic member is exposed through a lower surface of said first uniblock and said second magnetic member is exposed through a lower surface of said second uniblock.

Sw3
DB
67. The eyewear of Claim 59, wherein said first magnetic member is exposed through an upper surface of said first uniblock and said second magnetic member is exposed through an upper surface of said second uniblock.

B2
68. The eyewear of Claim 59, wherein said first magnetic member is exposed through a front surface of said first uniblock and said second magnetic member is exposed through a front surface of said second uniblock.

69. The eyewear of Claim 59, wherein said first magnetic member is exposed through a rear surface of said first uniblock and said second magnetic member is exposed through a rear surface of said second uniblock.

70. The eyewear of Claim 59 further comprising a first temple hingedly connected to said first uniblock and a second temple hingedly connected to said second uniblock.

71. The eyewear of Claim 70, wherein said first uniblock comprises a first integral hinge portion and said second uniblock comprises a second integral hinge portion, said first temple being connected to said first integral hinge portion and said second temple being connected to said second integral hinge portion.

72. The eyewear of Claim 59 further comprising a primary frame, said first magnetic member and said second magnetic member removably connecting said frame to said primary frame.

73. The eyewear of Claim 72, wherein said first magnetic member is exposed through a front surface of said first uniblock.

74. The eyewear of Claim 72, wherein said first magnetic member is exposed through a bottom surface of said first uniblock.

Appl. No. : 09/694,667
Filed : October 23, 2000

75. The eyewear of Claim 72, wherein said first magnetic member is exposed through a rear surface of said first uniblock.

76. The eyewear of Claim 72, wherein said first magnetic member is exposed through a top surface of said first uniblock.

77. The eyewear of Claim 59 further comprising an auxiliary frame, said first magnetic member and said second magnetic member removably connecting said frame to said auxiliary frame.

78. The eyewear of Claim 77, wherein said first magnetic member is exposed through a front surface of said first uniblock.

79. The eyewear of Claim 77, wherein said first magnetic member is exposed through a bottom surface of said first uniblock.

80. The eyewear of Claim 77, wherein said first magnetic member is exposed through a rear surface of said first uniblock.

81. The eyewear of Claim 77, wherein said first magnetic member is exposed through a top surface of said first uniblock..

82. The eyewear of Claim 59, wherein said first magnetic member comprises a magnet.

83. Eyewear comprising a first lens comprising a front side and a rear side, a temple extending rearward from a side of said first lens, an attachment housing connected to said first lens and extending to a side of said first lens different from said temple, said attachment housing comprising a mounting surface, at least one second lens comprising a front side and a rear side and designed to be worn in front of said first lens, an arm connected to said second lens and extending to a side of said second lens, said arm extending rearward over said attachment housing to abut at least a portion of said mounting surface of said attachment housing, a first magnet connected to one of said attachment housing and said arm and magnetic material attached to the other of said attachment housing and said arm in such a manner that the magnet and the magnetic material are attracted to each other and help to keep the second lens in place with respect to the first lens.

84. The eyewear of Claim 83, wherein said magnet has an axis that extends generally vertically.

Appl. No. : 09/694,667
Filed : October 23, 2000

85. The eyewear of Claim 83, wherein said magnetic material is a second magnet.

86. The eyewear of Claim 83 further comprising a bridge extending from a side of said primary lens, said bridge extending from the same side of said primary lens as said attachment housing.

87. The eyewear of Claim 83 further comprising a rim wire extending at least part way around said first lens, a flange being secured rim wire and said attachment housing comprising a recess that accommodates said flange.

88. The eyewear of Claim 87, wherein said recess is formed on a lower surface of said attachment housing.

89. The eyewear of Claim 88 further comprising a threaded fastener that extends upward through said flange and into said attachment housing.

CONCLUSION


The above-claims are being added to recite further aspects of the present invention relative to the parent application, which has issued as United States Patent No. 6,149,269 on November 21, 2000. Applicant believes these claims to be allowable over the references being submitted herewith in an Information Disclosure Statement. Examination on the merits and allowance are respectfully requested. If the Examiner believes that an interview before a first action will help to advance the prosecution of the above-captioned application, the Examiner is respectfully requested to call Applicant's attorney, Robert J. Roby at (949) 721-6359 (direct line).

Respectfully submitted,

KNOBBE, MARTENS, OLSON & BEAR, LLP

Dated: June 5, 2001

By:


Robert J. Roby
Registration No. 44,304
Attorney of Record
620 Newport Center Drive
Sixteenth Floor
Newport Beach, CA 92660
(949) 760-0404

H:\DOCS\RJR\RJR-4000.DOC\051501